In the Specification:

Please make the following changes in the following specification paragraphs:

Page 2, line 2 to 4:

The present invention relates to a method for transmitting ~~a position of a~~ traffic information, in particular <u>a position of</u> a traffic obstruction <u>on a traffic way,</u> ~~on a traffic way~~ in digital coded messages.

Page 9, line 12 to line 16:

In the embodiment shown in Figure 1, the position of the point X<u>, the beginning of the obstruction, is obtained by transmitting a percentage P, which is equal to the section portion D divided by</u> ~~is transmitted by the percent section portion D referred to~~ the distance between <u>the coded location</u> L1 and <u>the coded location</u> L2 <u>times 100</u>. Since A is either stored in the location data bank of the receiver or can be taken from a digital map, D can be calculated from the transmitted value <u>P</u>~~P~~.

Page 9, line 17, to page 10, line 2:

At the transmitter side, the variable to be transmitted is calculated from the known values D and A as P = ~~D·100/A~~<u>(D/A)x100</u>. When for example, the distance between L1 and L2 amounts to 20 km and the obstruction cause is located 6 km <u>from</u> ~~for~~ the primary location L1, ~~the a~~ parameter <u>P</u> to be transmitted amounts to <u>30 %</u> ~~P = 30%~~.

4

Page 11, line 8 to line 16:

Figure 3 shows the same section as figure 2 with the locations L1, L2 and L3, as well as the obstruction S between the points X and Y. Moreover, further locations O1-O7 ~~O1-O7~~ are shown. From which ~~they~~ at least the locations O1 and O3 ~~O1 and O3~~ are not <u>entered or coded</u> ~~picked~~ in the location data banks utilized for coding and decoding. With the inventive transmission of the position of the jam beginning X and the jam end Y the driver can be guided via the locations O1, O2 and O3 ~~O1, O2 and O3~~, or in other words via shorter detour sections than <u>via the coded locations O4, O5, O6 and O7</u> without the use of the inventive method. ~~He must be guided via O4, O5, O6 and O7.~~

5

In the Title:

Please make the following changes in the title:

METHOD FOR TRANSMITTING ~~A POSITION OF A~~ TRAFFIC <u>INFORMATION</u>

<u>*ABOUT*</u> ~~*INFORMATION, IN PARTICULAR A*~~ *TRAFFIC OBSTRUCTION*

7